

March 31, 2023

TRAINING BULLETIN

#TB10010

TOPIC

Converting your gas pressure washer from 14mm M22 to 3/8" Quick Connect fittings.

MODEL REFERENCE

BE276RA BE3465KX BE317RA BE3465KA BE275HAM

And more...



March 31, 2023

QUICK DESCRIPTION:

Whether you are looking to upgrade your hose to a rubber wire braid, get a longer hose, or simply want the convenience and premium feel of quick connect fittings, here are the steps needed to get there.

PARTS REQUIRED:

85.300.142 – 14mm M22 Female to 3/8" Male plug

85.300.136 – 14mm M22 Female to 3/8" MNPT thread

85.300.103 – Female coupler 3/8" FNPT

Thread sealer – Thread sealing tape, or a blue thread seal like Loctite.

Step 1)

Convert your spray gun assembly to accept a 3/8" female coupler by adding a 3/8" male plug. Using an 85.300.142 adapter thread this to your existing 14mm M22 connection that is on the spray gun.



85.300.142



March 31, 2023

Step 2)

Convert the pump to a female 3/8" coupler to accept the 3/8" male plug end of the hose. Using a 85.300.136 adapter, and 85.300.103 coupler, thread the two fittings together using Teflon tape or blue thread lock. Teflon tape will provide a great seal, while being easier to disassemble in the future if needed.



Step 3)

Thread the connected fitting to the M22 Male outlet on the pump leaving you with a 3/8" female coupler.



March 31, 2023

Step 4)

You are ready to use a quick connect hose. If you don't have one already, you can visit your local BE dealer or check out our website, <https://www.bepowerequipment.com> to browse our available quick connect hoses.

